VOLUME CONTENTS

Volume 36, Number 1

	1	Publisher's note
Kyung-Jun Chu, Joao B. P. Soares, Alexander Penlidis and Son-Ki Ihm	3	Effect of prepolymerization and hydrogen pressure on the microstructure of ethylene/1-hexene copolymers made with $MgCl_2$-supported $TiCl_3$ catalysts
G. Friedmann, Y. Guilbert et J. M. Catala	13	Modification chimique de polymères en milieu CO_2 supercritique. Greffage de groupes isocyanato-isopropyle sur une chaine de poly(éthylène-co-alcool vinylique)
Yang Haiyang, Zhu Pingping, Ren Feng, Wang Yuanyuan and Zhang Tiao	21	Viscometric investigations on the intermolecular interactions between poly(methyl methacrylate) and poly(vinyl acetate) in various solvents
F. J. Hua and C. P. Hu	27	Interpenetrating polymer networks of epoxy resin and urethane acrylate resin—2. Morphology and mechanical property
E. Ferjani et M. S. Roudesli	35	Modification par le polymethylhydrosiloxane et caractérisation de membranes d'osmose inverse à base d'acétate de cellulose
F. Chatzopoulos, J. L. Fugit, I. Ouillon, F. Rodriguez et J. L. Taverdet	51	Étude, en fonction de différents paramétres, de l'absorption et de la désorption d'eau par un copolymère acrylamide–acrylate de sodium réticulé
Guangzhao Zhang, Lu Liu, Hongmu Wang and Ming Jiang	61	Preparation and association behavior of diblock copolymer ionomers based on poly(styrene-b-ethylene-co-propylene)
A. S. Brar, Munia Mukherjee and S. K. Chatterjee	69	Microstructure and compositional assignments of acrylamide/vinylidene chloride copolymers using one and two dimensional nuclear magnetic resonance spectroscopy
Kadir Demirelli, Mehmet Coşkun and Ibrahim Erol	83	Copolymerization and monomer reactivity ratios of -(3-mesityl-3-methylcyclobutyl)-2-hydroxyethyl methacrylate with acrylonitrile
M. I. Sarwar and Z. Ahmad	89	Interphase bonding in organic–inorganic hybrid materials using aminophenyltrimethoxysilane
Nuanphun Chantarasiri, Nawee Farkrachang, Kantima Kawnaramit and Anucha Eurpermkiati	95	Application of bis-(3-allyloxy-2-propanol) diphenylolpropane as a crosslinking agent in the preparation of polyurethane–polystyrene interpenetrating polymer networks
Wen-Bin Liau, Jeng-Shrong Uen and Wen-Yen Chiu	101	The application of blending law on linear viscoelastic properties of linear–star and star–star polymer blends

Olga Garcia, M. Dolores Blanco, Juan Antonio Martín and José M. Teijón 111 5-Fluorouracil trapping in poly(2-hydroxyethyl methacrylate-co-acrylamide) hydrogels: in vitro drug delivery studies

S. C. Tjong and Y. Z. Meng 123 Effect of reactive compatibilizers on the mechanical properties of polycarbonate/poly(acrylonitrile–butadiene–styrene) blends

Antonio Marigo, Carla Marega, Giuliano Cecchin, Gianni Collina and Giuseppe Ferrara 131 Phase transition II → I in isotactic poly-1-butene: wide- and small-angle X-ray scattering measurements

Arunee Tabtiang and Richard Venables 137 The performance of selected unsaturated coatings for calcium carbonate filler in polypropylene

Xiao-song Wang, Ning Luo, Sheng-kang Ying and Qing Liu 149 The synthesis of ABA block copolymers by means of 'living'/controlled radical polymerization using hydroxyl-terminated oligomers as precursor

Jayashree Anand, S. Palaniappan and D. N. Sathyanarayana 157 Solution blending of poly(*o*- and *m*-toluidine) with PMMA in formic acid medium: spectroscopic, thermal and electrical behaviour

Hyoung-Joon Jin, In-Joo Chin, Mal-Nam Kim, Soo-Hyun Kim and Jin-San Yoon 165 Blending of poly(L-lactic acid) with poly(*cis*-1,4-isoprene)

Krzysztof Pielichowski and Ian Hamerton 171 Compatible poly(vinyl chloride)/chlorinated polyurethane blends: thermal characteristics

Pirjo Pietikäinen, Jukka V. Seppälä, Lisbeth Ahjopalo and Lars-Olof Pietilä 183 Copolymerization of ethylene and non-conjugated dienes with Cp_2ZrCl_2/MAO catalyst system: effect of polymerization temperature on the copolymer structure

Nesrin Öz and Ahmet Akar 193 Aminomethylene phosphonic acid–ceric ion redox systems for aqueous polymerization of vinyl monomers

A. Matsumoto, K. Yokoyama and H. Aota 201 Thermodynamic excluded volume effect on gelation in free-radical crosslinking copolymerization of allyl benzoate with diallyl terephthalate

Bao-Long Zhang, Guang-Liang Tang, Ke-Yu Shi, Ying-Cai You, Zong-Jie Du, Jian-Feng Yang and Jifu Huang 205 A study on properties of epoxy resin toughened by functionalized polymer containing rigid, rod-like moiety

Short communications

Sudhir Mani, R. A. Weiss, M. E. Cantino, L. H. Khairallah, S. F. Hahn and C. E. Williams 215 Evidence for a thermally reversible order–order transition between lamellar and perforated lamellar microphases in a triblock copolymer

Ioan Druta, Ecaterina Avram and Vasile Cozan 221 Polymers with pendent functional groups—IV. The reaction of chloromethylated polystyrene with *N*-phenacyl-4,4′-bipyridinium bromides

Announcement

I Polyelectrolytes 2000

Volume 36, Number 2

J. Kadokawa, D. Hino, M. Karasu, H. Tagaya and K. Chiba	225	Synthesis of new aminopolysaccharides by polymerization of 6-amino-6-deoxy-D-glucose and 2,6-diamino-2,6-dideoxy-D-glucose
Hideo Sawada, Yoshiko Yoshino, Yuka Ikematsu and Tokuzo Kawase	231	Synthesis and properties of fluoro-alkylated end-capped acrylamide oligomers
David J. T. Hill, M. C. Senake Perera, Peter J. Pomery and H. K. Toh	241	Polymerisation of siloxane modified divinyl benzene pre-polymers
I. Capek	255	Photopolymerization of alkyl(meth)acrylates and polyoxyethylene macromonomers in fine emulsions
Georges Geuskens, Ariane Etoc and Patricia Di Michele	265	Surface modification of polymers—VII. Photochemical grafting of acrylamide and *N*-isopropylacrylamide onto polyethylene initiated by anthraquinone-2-sulfonate adsorbed at the surface of the polymer
François Dabrowski, Serge Bourbigot, René Delobel and Michel Le Bras	273	Kinetic modelling of the thermal degradation of polyamide-6 nanocomposite
Shih-Liang Huang, Min-Shiun Chao, Ruoh-Chyu Ruaan and Juin-Yih Lai	285	Microphase separated structure and protein adsorption of polyurethanes with butadiene soft segment
Elżbieta Kociołek-Balawejder	295	A macromolecular *N,N*-dichlorosulfonamide as oxidant for cyanides
M. Inoue, M. Inokuchi, Y. Itoh, H. Shirai and S. Suzuki	303	Alternating copolymers containing an aromatic chromophore in every monomer unit—1. Fluorescence properties of poly(benzyl methacrylate-alt-styrene)
Jiaping Lin, Jian Zhu and Dafei Zhou	309	Liquid crystallization in lyotropic liquid crystalline polymers
Fabienne Ramon, Marie Degueil-Castaing et Bernard Maillard	315	Déplacements homolytiques intramoléculaires—28. Décompositions induites de derivés peroxydiques 4,5- et 5,6-insaturés à double liaison activée
Naveen Kumar Pokhriyal and Surekha Devi	333	Effect of water solubility of monomer on reaction kinetics in oil–water microemulsion–copolymerisation
Hendrik J. Hageman	345	The thermal decomposition of 2,2′-azobis(2-methylpropionitrile) in the presence of 2,6-Di-*t*-butyl and 2,6-diphenyl-1,4-benzoquinone
Anat Zada, Yair Avny and Albert Zilkha	351	Monomers for non-bond crosslinking of vinyl polymers—II. Cyclic octaethylene glycol 5-methacrylamido-isophthalate
Anat Zada, Yair Avny and Albert Zilkha	359	Monomers for non-bond crosslinking of vinyl polymers—III. Some characteristics of the system

Lianjun Shi, Sheng Chen and Junlian Huang 365 Radical copolymerization of α-(*n*-propyl)acrylic acid with maleimide in dioxane

Stefan Oprea, Stelian Vlad, Aurelian Stanciu and Matei Macoveanu 373 Epoxy urethane acrylate

Haruhisa Miyake and Masaaki Yamabe 379 Copolymerization of tetrafluoroethylene and ethylene in fluorinated organic solvents

T. S. Vivekanandam, A. Gopalan, T. Vasudevan and S. Umapathy 385 Sonochemical cyclopolymerization of diallylamine

Oğuz Okay and Sǎfiye B. Sariisik 393 Swelling behavior of poly(acrylamide-co-sodium acrylate) hydrogels in aqueous salt solutions: theory versus experiments

L. M. Carvalho, P. Guégan, H. Cheradame and A. S. Gomes 401 Variation of the mesh size of PEO-based networks filled with TFSILi: from an Arrhenius to WLF type conductivity behavior

P. Bera and S. K. Saha 411 Water-soluble copolymers of acrylamide with diacetone acrylamide and *N*-*t*-butylacrylamide on aqueous montmorillonite surface: synthesis and characterisation

Neelam Srivastava and Suresh Chandra 421 Studies on a new proton conducting polymer system: poly(ethylene succinate) + NH_4ClO_4

Jin-San Yoon, Won-Sun Lee, Kwang-Sok Kim, In-Joo Chin, Mal-Nam Kim and Chulhee Kim 435 Effect of poly(ethylene glycol)-*block*-poly(L-lactide) on the poly[(R)-3-hydroxybutyrate]/poly(L-lactide) blends

Volume 36, Number 3

Chun-Shan Wang and Jeng-Yueh Shieh 443 Synthesis and properties of epoxy resins containing bis(3-hydroxyphenyl) phenyl phosphate

Stephane Marais, Michel Metayer, Trong Q. Nguyen, Michel Labbe and Jean M. Saiter 453 Diffusion and permeation of water through unsaturated polyester resins—influence of resin curing

Souhir Gharbi, Jean-Pierre Andreolety and Alessandro Gandini 463 Polyesters bearing furan moieties—IV. Solution and interfacial polycondensation of 2,2′-bis(5-chloroformyl-2-furyl)propane with various diols and bisphenols

Corneliu Cincu, Livia Maria Butac et Monica Iliescu 473 Concentration critique des polymères dans des solutions très diluées

A. I. Barabanova, E. V. Bune, A. V. Gromov and V. F. Gromov 479 Hydrophobic interactions in the radical polymerization of acrylamide derivatives

Mitsuhiro Shibata, Takayuki Kobayashi, Ryutoku Yosomiya and Miharu Seki 485 Polymer electrolytes based on blends of poly(ether urethane) and polysiloxanes

J. R. MacCallum and J. S. G. Smith 491 A novel method for producing miscible polymer blends

Chul Hae Ryu, Young-Ho Kim and Young Chan Bae 495 Phase transition behaviors of polyimide blends

Y. Kobori, I. Akiba, S. Akiyama and K. Ishikawa 503 Miscibility and phase structure of *at*-polypropylene/ethylene-*block*-(ethylene-co-butylene)-*block*-ethylene copolymer blend

Hong-Quan Xie and Qian Xiang 509 Surface-graft polymerization of doped polyaniline with hydrophilic monomers

Falguni D. Karia and P. H. Parsania 519 Ultrasonic velocity studies and allied parameters of poly(4-4′-cyclohexylidene-R,R′-diphenylene diphenyl methane-4-4′-disulfonate) solutions at 30°C

F. E. Okieimen and Oluyemisi C. Eromonsele 525 Stabilising effect of derivatives of Khaya seed oil on the thermal degradation of poly(vinyl chloride)

Zhang Linxi, Xia Agen, Xu Jianmin and Zhao Delu 539 Average bond conformations of polymer chains

C. T. Lima Luz and Fernanda M. B. Coutinho 547 The influence of the diluent system on the porous structure formation of copolymers based on 2-vinylpyridine and divinylbenzene-diluent system—I. *n*-Heptane/diethylphthalate

Virginie Liétard, Patricia Krawczak et José Pabiot 555 Influence de la post-cuisson sur le comportement à long terme en fissuration sous tension dans l'eau de composites verre/vinylester

M. J. M. Abadie, M. Popa, M. Zaharia-Arnautu, V. Bulacovschi et A. A. Popa 571 Cinétique de polymérisation photochimique de monoméres acryliques en présence de silice fonctionnalisée

Sergio Mauro da Silva Neiro, Douglas Cardoso Dragunski, Adley Forti Rubira and Edvani Curti Muniz 583 Miscibility of PVC/PEO blends by viscosimetric, microscopic and thermal analyses

B. J. Ringrose and E. Kronfli 591 Preparation of hydrophilic materials by radiation grafting of poly(ethylene-co-vinyl acetate)

M. Dębowski and A. Balas 601 Polyurethane elastomers obtained in polar solvent with *N*,*N*′-ethyleneurea as a chain extender

Premamoy Ghosh and Amit Chakrabarti 607 Effect of incorporation of conducting carbon black as filler on melt rheology and relaxation behaviour of ethylene–propylene–diene monomer (EPDM)

M. J. Carey and D. Phillips 619 Fluorescence kinetics of copolymers of 1-vinyl naphthalene and methyl methacrylate

Premamoy Ghosh and Rupali Gangopadhyay 625 Photofunctionalization of cellulose and lignocellulose fibres using photoactive organic acids

Tadeusz Czerniawski 635 The inhibited polymerization of lithium methacrylate and copolymerization with acrylonitrile

Short communications

Xian-Zheng Zhang and Ren-Xi Zhuo 643 Novel synthesis of temperature-sensitive poly(*N*-isopropylacrylamide) hydrogel with fast deswelling rate

Mahesh K. Bhalgat and Jeanette C. Roberts 647 Molecular modeling of polyamidoamine (PAMAM) Starburst™ dendrimers

Franco Cataldo 653 Raman spectra of C_{60} fullerene photopolymers prepared in solution

Volume 36, Number 4

J. C. Bevington, B. Guyot, T. N. Huckerby, B. J. Hunt and R. Jones 657 A study of an azonitrile containing a sizable fluorocarbon group

Min-Yu Teng, Kueir-Rarn Lee, Der-Jang Liaw, Yung-Sheng Lin and Juin-Yih Lai 663 Plasma deposition of acrylamide onto novel aromatic polyamide membrane for pervaporation

Akira Matsumoto, Tsuyoshi Kubo, Katsuyuki Watanabe, Hiroyuki Aota, Yoshihiro Takayama, Akinori Kameyama and Tsuneo Nakanishi 673 Difference in temperature effect on the polymerizations between triallyl isocyanurate and its isomer triallyl cyanurate

Shuizhu Wu, Fang Zeng, Fengxian Li and Yinlan Zhu 679 Ammonia sensitivity of polyaniline films via emulsion polymerization

Junting Xu, Xurong Xu and Linxian Feng 685 Short chain branching distributions of metallocene-based ethylene copolymers

Nuanphun Chantarasiri, Thawatchai Tuntulani, Pan Tongraung, Ratana Seangprasertkit-Magee and Walee Wannarong 695 New metal-containing epoxy polymers from diglycidyl ether of bisphenol A and tetradentate Schiff base metal complexes

Niyazi Biçak and Bahire Filiz Senkal 703 Synthesis and polymerization of *N*,*N*-diallylmorpholinium bromide

Sonal Desai, I. M. Thakore, B. D. Sarawade and Surekha Devi 711 Effect of polyols and diisocyanates on thermomechanical and morphological properties of polyurethanes

E. Tüzel, M. S. Özmetin, Y. Yýlmaz and Ö. Pekcan 727 A new critical point and time dependence of bond formation probability in sol–gel transition: a Monte Carlo study in two dimension

Gui You Wang, Yu Ling Wang and Chun Pu Hu 735 Interpenetrating polymer networks of polyurethane and graft vinyl ester resin: polyurethane formed with toluene diisocyanate

K. N. Jayachandran and P. R. Chatterji 743 Synthesis of dense brush polymers with cleavable grafts

A. Mansri et K. Guemra 751 Synthèse et ètude photochimique de polymères styréniques parasubstitués par des greffons δ-dicétoniques

Yihong Zhang and Lixia Gu 759 Study of non-isothermal crystallization kinetics and sequence distribution in poly(ethyleneterephthalate-co-isophthalate)

Halina Kaczmarek, Alina Kamińska and Alex van Herk 767 Photooxidative degradation of poly(alkyl methacrylate)s

C. Oommen, S. Amanulla and S. R. Jain 779 Characterization of diglycidylamine epoxy resins based on bis-hydrazones

Rosangela B. Garcia, Joana L. M. S. Ganter and Rosiane R. Carvalho 783 Solution properties of D-xylans from corn cobs

Chuah Ai Wah, Leong Yub Choong and Gan Seng Neon 789 Effects of titanate coupling agent on rheological behaviour, dispersion characteristics and mechanical properties of talc filled polypropylene

Robert A. Sailer and Mark D. Soucek 803 Investigation of cobalt drier retardation

R. Mateva, P. Petrov, S. Rousseva, R. Dimitrov and G. Zolova 813 On the structure of poly-ε-caprolactams, obtained with bifunctional *N*-carbamyl derivatives of lactams

I. M. Fouda and H. M. Shabana 823 Optical and structural changes in perlon fibers due to different stresses

Shoichi Nakata and Josée Brisson 831 Monodisperse polyamide oligomers: a facile synthesis of small polyamide oligomers on a solid polymer support

Linxi Zhang and Yun Xu 841 Statics and dynamics of adsorbed uniform star chains

Linxi Zhang, Agen Xia and Yun Xu 847 Statics and dynamics of adsorbed ring polymer chains

Short communications

Li Wang, Youling Yuan, Linxian Feng, Youxiang Wang, Jie Pan, Congxin Ge and Bing Ji 851 Short chain-branched polyethylene produced by $[(CH_3)_2C(\eta\text{-}C_5H_4)(\eta\text{-}C_9H_6)]ZrCl_2$ and $[CH_2(CH_2)_4C(\eta\text{-}C_5H_4)(\eta\text{-}C_9H_6)]ZrCl_2$ metallocene catalyst

D. V. Arefiev, N. S. Domnina, E. A. Komarova and A. Yu. Bilibin 857 Sterically hindered phenol–dextran conjugates: radical scavenging activity in water and water–organic media

P. M. Patel, S. K. Patel and K. C. Patel 861 Synthesis and characterisation of polyesters based on *s*-triazine

Volume 36, Number 5

Review article

Junting Xu and Linxian Feng 867 Application of temperature rising elution fractionation in polyolefins

Rosario Benavente, José M. Pereña, Ernesto Pérez, Antonio Bello, M. Rosário Ribeiro and Manuel F. Portela 879 Dynamic mechanical relaxations and microhardness indentations of styrene–ethylene copolymers obtained with heterogeneous catalysts

Nuanphun Chantarasiri, Thawatchai Tuntulani and Nantaya Chanma 889 Application of hexadentate Schiff base metal complexes as crosslinking agents for diglycidyl ether of bisphenol A

Jong Yeol Jeon and Hee Young Kim 895 Microwave irradiation effect on diffusion of organic molecules in polymer

Maurizio Penco, Luciana Sartore, Fabio Bignotti, Salvatore D'Antone and Luca Di Landro 901 Thermal properties of a new class of block copolymers based on segments of poly(D,L-lactic-glycolic acid) and poly(ε-caprolactone)

A. Haj Saïd, C. Dridi, S. Roudesli and F. Matoussi Mhalla	909	Electrochemical synthesis of a polyphenylene deriving from *p*-methoxytoluene
Palle Swapna Rao, Jayashree Anand, S. Palaniappan and D. N. Sathyanarayana	915	Effect of sulphuric acid on the properties of polyaniline–HCl salt and its base
Jonas Gruber and Rosamaria Wu Chia Li	923	Electrochemical synthesis of poly(4,4′-biphenylene ethylene)s
N. Lotti, L. Finelli, T. Milizia, A. Munari and P. Manaresi	929	Preparation and thermal behavior of random copolyesters of thiodipropionic acid
C. K. Samios, K. G. Gravalos and N. K. Kalfoglou	937	In situ compatibilization of polyurethane with poly(ethylene terephthalate)
Yang Haiyang, Zhu Pingping, Huang Minjun, Ma Shengli and Wang Yuanyuan	949	Viscometric investigations on the intrinsic viscosity of poly(methyl methacrylate) (PMMA) affected by polymer–polymer interactions in binary system
Sung-Ho Jin, Yang-Kook Sun, Byung-Hee Sohn and Woohong Kim	957	Synthesis and electro-optical properties of electroluminescent polymers containing carbazole unit
Cheng-Chien Wang, Jen-Feng Kuo and Chuh-Yung Chen	965	Polymerization of styrene initiated by a novel initiator sodium formaldehyde sulfoxylate and sodium lauryl sulfate
Svetlana I. Kuzina, Anatoliy P. Pivovarov, Alfa I. Mikhailov and Gennadiy P. Belov	975	Free radicals and photo-oxidation of an alternating copolymer of ethylene and carbon monoxide
Bao Yong-Zhong, Weng Zhi-Xue, Huang Zhi-Ming and Pan Zu-Ren	981	Synthesis of chemically crosslinked poly(vinyl chloride) by vinyl chloride/divinyls suspension copolymerization
Laishun Shi	987	The investigation of polymer surface dynamics modified by plasma using dynamic contact angle method
S. Thamizharasi and B. S. R. Reddy	993	Synthesis and characterization of thermally stable naphthyl acrylate polymers
Mohammad A. Semsarzadeh and Hamed Salehi	1001	Autoxidation of polypropylene glycol and its catalysis with ferric acetylacetonate
R. Hernández, J. J. Peña, L. Irusta and A. Santamara	1011	The effect of a miscible and an immiscible polymeric modifier on the mechanical and rheological properties of PVC
N. Nugay and T. Nugay	1027	Inter polymer complexes of poly(methyl methacrylate)-*block*-poly(4-vinylpyridine) with polyacrylic acid and polyacrylic acid-*block*-poly(methyl methacrylate)
Masaaki Yamabe, Katsuyuki Akiyama, Yonezoh Akatsuka and Masao Kato	1035	Novel phosphonated perfluorocarbon polymers
Premamoy Ghosh and Amit Chakrabarti	1043	Conducting carbon black filled EPDM vulcanizates: assessment of dependence of physical and mechanical properties and conducting character on variation of filler loading

R. D. Patil, J. E. Mark, A. Apostolov, E. Vassileva and S. Fakirov 1055 Crystallization of water in some crosslinked gelatins

A. A. Hathoot 1063 Electro-oxidative polymerization of Schiff-base of 1,8-diaminonaphthaline and 3-acetylthiophene—I. Preparation and study of the redox behaviour of the resulting polymer

B. B. Troitskii, L. S. Troitskaya, A. A. Dmitriev and A. S. Yakhnov 1073 Inhibition of thermo-oxidative degradation of poly-(methyl methacrylate) and polystyrene by C_{60}

Volume 36, Number 6

Xiaohua Kong, Xiaoniu Yang, Enle Zhou and Dezhu Ma 1085 Nonisothermal crystallization kinetics of ethylene-terephthalate – ethylene oxide segmented co-polymers with two crystallizing segments

Galo Cárdenas, Carla Muñoz and Hernán Carbacho 1091 Thermal properties and TGA–FTIR studies of polyacrylic and polymethacrylic acid doped with metal clusters

Dušan Berek, Son Hoai Nguyen and Gérard Hild 1101 Molecular characterization of block copolymers by means of liquid chromatography—I. Potential and limitations of full adsorption–desorption procedure in separation of block copolymers

G. Georgoussis, A. Kanapitsas, P. Pissis, Yu. V. Savelyev, V. Ya. Veselov and E. G. Privalko 1113 Structure–property relationships in segmented polyurethanes with metal chelates in the main chain

M. V. Solovskij, E. F. Panarin, O. P. Gorbunova, E. V. Korneeva, N. A. Petuhkova, N. A. Michajlova and G. M. Pavlov 1127 Investigation of the formation and properties of water-soluble conjugates of polymer *p*-nitrophenyl esters with polymer primary amines

Elżbieta Kociołek-Balawejder 1137 A macromolecular *N,N*-dichlorosulfonamide as oxidant for thiocyanates

Xiaojuan Hao, Kiyohisa Fujimori, David J. Tucker and Peter C. Henry 1145 An NMR determination of linkage configuration and monomer unit triad distribution in the copolymer of isobutyl vinyl ether and maleic anhydride

Xianmo Deng, Minglong Yuan, Xiaohong Li and Chengdong Xiong 1151 Polymerization of lactides and lactones—VII. Ring-opening polymerization of lactide by rare earth phenyl compounds

H. P. Bhunia, A. Basak, T. K. Chaki and G. B. Nando 1157 Synthesis and characterization of polymers from cashewnut shell liquid: a renewable resource—V. Synthesis of copolyester

H. Kaczmarek, A. Kamińska, M. Świątek and S. Sanyal 1167 Photoinitiated degradation of polystyrene in the presence of low-molecular organic compounds

Kiyoshi Endo and Masatosi Yamamoto 1175 Synthesis of block copolymer of ethylene with styrene and isoprene by means of active site transformation from anionic to coordination route

Chien-Kung Lin, Jen-Feng Kuo and Chuh-Yung Chen 1183 Synthesis and mesomorphism of thermotropic liquid crystalline polyurethanes based on meta-diisocyanates with 4,4′-bis(ω-hydroxyalkoxy) biphenyls

Dona Mathew, C. P. Reghunadhan Nair and K. N. Ninan 1195 Pendant cyanate functional vinyl polymers and imido-phenolic-triazines thereof: synthesis and thermal properties

B. Košíková, M. Ďuriš and V. Demianová 1209 Conversion of lignin biopolymer into surface-active derivatives

M. J. Abadie, M. Dimonie, Christine Couve and V. Dragutan 1213 New catalysts for linear polydicyclopentadiene synthesis

V. Lemée, D. Burget, J. P. Fouassier and H. Tomioka 1221 Structures/properties relationships in photoinitiators of polymerization—XI. Behavior of new benzylbenzoin benzyl ethers

L. Barral, J. Cano, J. López, I. López-Bueno, P. Nogueira, M. J. Abad and C. Ramírez 1231 Decomposition behavior of epoxy-resin systems cured by diamines

A. Kanapitsas and P. Pissis 1241 Dielectric relaxation spectroscopy in crosslinked polyurethanes based on polymer polyols

M. Jöhnck, L. Müller, A. Neyer and J. W. Hofstraat 1251 Copolymers of halogenated acrylates and methacrylates for the application in optical telecommunication: optical properties, thermal analysis and determination of unsaturation by quantitative FT-Raman and FT-IR spectroscopy

Qi Wang, Jianhua Weng, Zhiqiang Fan and Linxian Feng 1265 Study on polymerization of ethylene with Cp_2ZrCl_2/aluminoxanes

Jin-San Yoon, Yoo-Su Lee, Eun-Soo Park, Ik-Mo Lee, Duck-Kyung Park and Sung-Ouk Jung 1271 Synthesis of polypropylene using bis(2-alkylindenyl)zirconium dichloride/MAO systems

Jingxin Lei, Meiwu Shi and Jianchun Zhang 1277 Surface graft copolymerization of hydrogen silicone fluid onto fabric through corona discharge and water repellency of grafted fabric

Jan Broda and Andrzej Włochowicz 1283 Influence of pigments on supermolecular structure of polypropylene fibres

Corrigendum

Ahmed Kessat, André Babadjamian and Ahmed Iraqi 1299 Corrigendum to "Thiazolic polymer-supported reagents: a specific oxidation of primary and secondary alcohols with poly(4-methyl-5-vinylthiazolium) hydrotribromide"

Volume 36, Number 7

Isaac Goodman, Derek J. Maitland and Aristides H. Kehayoglou 1301 ^{13}C NMR spectra of nylon 6/12 copolymers and related model compounds

L. Bonnaud, J. P. Pascault and H. Sautereau 1313 Kinetic of a thermoplastic-modified epoxy-aromatic diamine formulation: modeling and influence of a trifunctional epoxy prepolymer

Peng Wang, K. L. Tan, C. C. Ho, M. C. Khew and E. T. Kang	1323	Surface modification of natural rubber latex films by graft copolymerization
Koji Ishizu, Takafumi Hosokawa and Kei-ichiro Tsubaki	1333	Cross-linking reaction of segregated microdomains formed by diblock copolymer films
S. K. Rai, K. Shivakumar and B. S. Sherigara	1339	Polymerization of acrylonitrile initiated by the manganese (III)–glycine redox system: a kinetic study
R. Mažeikiene and A. Malinauskas	1347	Doping of polyaniline by some redox active organic anions
Nicola C. Woodward, Babur Z. Chowdhry, Stephen A. Leharne and Martin J. Snowden	1355	The interaction of sodium dodecyl sulphate with colloidal microgel particles
R. Legay, J. Roussel et B. Boutevin	1365	Synthèse de polyglutarimides á partir de PMMA, et de la méthylamine—II. Influence des conditions opératoires sur la réaction d'imidification
Aysegül Baskan Düz, Gürkan Hizal and Yusuf Yagci	1373	Block copolymers by transformation of living ring opening polymerization into an initer process
Sachin Raut and Vilas Athawale	1379	New interpenetrating elastomeric networks based on uralkyd/poly(butyl methacrylate)
V. Sabin-Chiarilli et J. Pabiot	1387	Transition ductile–fragile des mélanges incompatibles à faibles concentrations à base de polypropylène recyclé
Claude Billaud, Mohamed Sarakha and Michèle Bolte	1401	Polymerization of 2-hydroxyethyl methacrylate initiated by excitation of $[Co(NH_3)_5N_3]^{2+}$ at 365 and 546 nm
Jitendra Sharma and H. B. Bohidar	1409	Gelatin–glutaraldehyde supramolecular structures studied by laser light scattering
Olga P. Grigoryeva and József Karger-Kocsis	1419	Melt grafting of maleic anhydride onto an ethylene–propylene–diene terpolymer (EPDM)
Christophe Sinturel, Jacques Lemaire and Jean-Luc Gardette	1431	Photooxidation of fire retarded polypropylene—III. Mechanism of HAS inactivation
C. Marieta, M. del Rio, I. Harismendy and I. Mondragon	1445	Effect of the cure temperature on the morphology of a cyanate ester resin modified with a thermoplastic: characterization by atomic force microscopy
Miao Du, Zhi-Xue Weng, Guo-Rong Shan, Zhi-Ming Huang and Zu-Ren Pan	1455	Control and optimization for vinyl chloride/*N*-phenylmaleimide copolymer composition
R. Song and Q. Fan	1463	Polycarbonate films in the state of high global chain orientation but nearly random segmental orientation
Tridib Tripathy and R. P. Singh	1471	High performance flocculating agent based on partially hydrolysed sodium alginate–g–polyacrylamide

Yuxin Gu, Yuhui Huang, Bing Liao, Shulu Zhao and Guangmin Cong 1477 The effect of solvent polarity on phase inversion process for emulsification of poly(phenylene oxide) (PPO) ionomer

H. D. Rozman, K. W. Tan, R. N. Kumar, A. Abubakar, Z. A. Mohd. Ishak and H. Ismail 1483 The effect of lignin as a compatibilizer on the physical properties of coconut fiber–polypropylene composites

Stelian Vlad, Stefan Oprea, Aurelian Stanciu, Constantin Ciobanu and Victor Bulacovschi 1495 Polyesters based on unsaturated diols

D. B. Rohini Kumar, M. Rami Reddy, V. N. Mulay and N. Krishnamurti 1503 Acrylic co-polymer emulsion binders for green machining of ceramics

Ryszard Sojecki and Stanisław Trzciński 1511 The synergetic effect of catalytic systems in 2,4-tolylene diisocyanate reactions with macrodiols—II. A reaction model with varying catalysts molar ratios and general approach

Short communication

W. Sułkowski, A. Sułkowska, B. Makarucha and V. Kireev 1519 Synthesis and spectroscopic studies of cyclo- and polyphosphazenes

I Announcements

Volume 36, Number 8

F. M. Coyle, V. J. McBrierty and J. Dowling 1525 Structural compatibility in composite hydrogels—III. An NMR study

Hideo Sawada, Yoshiko Yoshino, Tokuzo Kawase and Ken Fujimori 1533 Luminol chemiluminescence selectively stimulated with self-assembled molecular aggregates of fluoroalkylated end-capped *N*-(1,1-dimethyl-3-oxobutyl) acrylamide oligomer

Georges Geuskens and Amina Soukrati 1537 Investigation of polyacrylamide hydrogels using 1-anilinonaphthalene-8-sulfonate as fluorescent probe

Xiao Ping Chen, Kun Yuan Qiu, Graham Swift, David G. Westmoreland and Shuguang Wu 1547 A novel thermal iniferter for radical polymerization

K. Poilbout, S. Mokrani, L. Dammak, G. Bulvestre et B. Auclair 1555 Détermination du coefficient d'affinité d'une membrane échangeuse de cations à différentes forces ioniques

Irena Gancarz, Gryzelda Poźniak and Marek Bryjak 1563 Modification of polysulfone membranes—3. Effect of nitrogen plasma

C. D'Aniello, G. Romano, R. Russo and V. Vittoria 1571 Influence of time and temperature on deformed films of poly ether–ether–ketone (PEEK)

Robin Antony, G. L. Tembe, M. Ravindranathan and R. N. Ram 1579 Synthesis and catalytic property of poly(styrene-co-divinylbenzene) supported ruthenium(III)-2-amino-pyridyl complexes

Zhao Liqun, Ginting Suka Irwan, Takashi Kondo and Hitoshi Kubota 1591 Acetone-initiated photografting of methacrylic acid on low-density polyethylene film in water solvent

Rupali Gangopadhyay and Premamoy Ghosh	1597	Uncatalysed photografting of poly(methyl methacrylate) from photofunctionalised sisal fibre
Linxi Zhang, Yun Xu and Delu Zhao	1607	A Monte Carlo study of polymer network dynamics
Haojun Liang, Fenghong Li, Xuehao He and Wei Jiang	1613	Monte Carlo simulation for the modification of polymer via grafting
L. Katsikas, G. Bošković, S. J. Veličković, J. S. Veličković and I. G. Popović	1619	The kinetics of the thermal degradation of isomeric dipropyl and dibutyl esters of poly(itaconic acid)
U. S. Yousef	1629	A novel conducting polymer film by electrochemical oxidation of 3-[1-(2-aminophenylimino)-ethyl]-6-methylpyran-2,4-dione schiff base in aqueous medium
M. Rama Rao, K. J. Scariah, Abraham Varghese, P. V. Naik, K. Narayana Swamy and K. S. Sastri	1645	Evaluation of criteria for blending hydroxy terminated polybutadiene (HTPB) polymers based on viscosity build-up and mechanical properties of gumstock
Claire Pavier and Alessandro Gandini	1653	Urethanes and polyurethanes from oxypropylated sugar beet pulp—I. Kinetic study in solution
R. Jayakumar, R. Balaji and S. Nanjundan	1659	Studies on copolymers of 2-(*N*-phthalimido)ethyl methacrylate with methyl methacrylate
Cengiz Soykan, Misir Ahmedzade and Mehmet Coşkun	1667	Copolymers of phenacyl methacrylate with glycidyl methacrylate: synthesis, characterization and monomer reactivity ratios
Mal-Nam Kim, Ae-Ri Lee, Jin-San Yoon and In-Joo Chin	1677	Biodegradation of poly(3-hydroxybutyrate), Sky-Green® and Mater-Bi® by fungi isolated from soils
C. del Río, M. C. Ojeda and J. L. Acosta	1687	Carbon black effect on the microstructure of incompatible polymer blends
J. P. G. Villaluenga and B. Seoane	1697	Permeation of carbon dioxide through multiple linear low-density polyethylene films
Sheng Chen, Zhaohua Huang and Junlian Huang	1703	Synthesis and characterization of novel kinds of polyethylene oxide drugs containing 5-fluorouracil and nitrogen mustard at one end and 4-amino-N-(2-pyrimidinyl) benzene sulfonamide at the other end
Ye Lin, Luo Kaifu and Huang Ronghua	1711	A study on P(AM-DMDA) hydrophobically associating water-soluble copolymer
C. R. G. Furtado, J. L. Leblanc and R. C. R. Nunes	1717	Mica as additional filler in SBR–silica compounds
R. Anbarasan, T. Vasudevan and A. Gopalan	1725	Chemical grafting of poly(aniline) and poly(*o*-toluidine) onto PET fibre—a comparative study
Qiong Zhou, Wenjun Yang, Qiye Wu, Bai Yang, Jinman Huang and Jiacomg Shen	1735	Modification of polyvinyl chloride/chlorinated polyethylene blends with ultrafine particles of polystyrene

Short communication

Akira Matsumoto, Hirofumi Yamasaki, Masahiro Katsumoto, Hiroyuki Aota, Yoshihiro Takayama, Akinori Kameyama and Tsuneo Nakanishi 1741 Sequence length dependence of steric effect on the reactivity of growing polymer radical in the free-radical copolymerization of triallyl isocyanurate with sterically unhindered monomers

Volume 36, Number 9

Xavier Tassel, Didier Barbry and Lan Tighzert 1745 A new blocking agent of isocyanates

M. Bera, A. Rivaton, C. Gandon and J. L. Gardette 1753 Photooxidation of poly(*para*-xylylene)

M. Bera, A. Rivaton, C. Gandon and J. L. Gardette 1765 Comparison of the photodegradation of parylene C and parylene N

Tania A. Dyakonov, Bin Huang, Abdulhamid Hamoudi, Dennis H. Burns, Ying Liu and William T. K. Stevenson 1779 Poly(benzyloxy ethyl methacrylate): preparation by free radical polymerization and by group transfer polymerization; with subsequent debenzylation to form poly(2-hydroxyethyl methacrylate)

J. M. G. Cowie, I. J. McEwen and D. J. Yule 1795 The influence of solvent on the apparent reactivity ratios in free radical copolymerisation reactions between itaconic acid and 2-hydroxyethyl acrylate

J. Kułakowska and S. Kucharski 1805 New chromophoric monomers with nonlinear optical properties

Vladimir A. Escobar Barrios, Rafael Herrera Nájera, Alain Petit and Fernand Pla 1817 Selective hydrogenation of butadiene–styrene copolymers using a Ziegler–Natta type catalyst—1. Kinetic study

Kannika Sahakaro, Chiraphon Chaibundit, Zoi Kaligradaki, Shao-Min Mai, Frank Heatley, Colin Booth, John C. Padget and Ian M. Shirley 1835 Clouding of aqueous solutions of difunctional tapered-statistical copolymers of ethylene oxide and 1,2-butylene oxide

Wang Shanfeng, Bao Gaobin, Wu Pingping and Han Zhewen 1843 Viscometric study on the interactions of polymers of the poly(benzazole) family with nylon 66

M. Camail, A. Margaillan, I. Martin, A. L. Papailhou and J. L. Vernet 1853 Synthesis of *N*-alkyl- and *N*-arylalkylacrylamides and micellar copolymerization with acrylamide

Fanny Schapman, Boulos Youssef, Elie About-Jaudet et Claude Bunel 1865 Ignifugation de polyuréthanes—I. Utilisation d'un polyol insaturé modifié par le 1-thioéthyl diéthylphosphonate

Andrzej Pawlak, Mirosaw Pluta, Jerzy Morawiec, Andrzej Galeski and Mariano Pracella 1875 Characterization of scrap poly(ethylene terephthalate)

Smaail Radi, Abdelkrim Ramdani, Yahya Lekchiri, Michel Morcellet, Grégorio Crini, Joëlle Morcellet and Ludovic Janus 1885 Preparation of pyrazole compounds for attachment to chelating resins

E. Verdú Sánchez, J. L. Gómez Ribelles, M. Monleón Pradas, B. Rodriguez Figueroa and F. Romero Colomer 1893 Morphology and thermomechanical properties of blends of styrene–butadiene–styrene triblock copolymer with polystyrene and syndiotactic polybutadiene homopolymers

J. L. Mateo, P. Bosch, J. Serrano and M. Calvo	1903	Sorption and diffusion of organic solvents through photo-crosslinked SBS block copolymers
M. Rafik, A. Mas, A. Elharfi et F. Schue	1911	Modification de membrane PVDF par plasma d'acide acrylique et de nonafluorobutyléthylène
Antonio Marigo, Carla Marega, Roberto Zannetti, Giampiero Morini and Giuseppe Ferrara	1921	Small- and wide-angle X-ray scattering analysis of Ziegler–Natta catalysts: structural disorder, surface area and activity
P. N. Lavrenko, I. A. Strelina, O. V. Okatova and B. Schulz	1927	Flow birefringence and optical anisotropy of molecules of copolymers of *para*- and *meta*-phenylene-1,3,4-oxadiazoles
Kamal I. Aly and Ahmed S. Hammam	1933	Liquid crystalline polymers—I. Main chain thermotropic poly(arylidene-ether)s containing cyclopentanone moiety linked with polymethylene spacers
Mohammed Fiaz and M. S. Beevers	1943	Kerr constant of poly(*N*-vinylcarbazole)
Carmen Racles, Vasile Cozan, Mihai Marcu, Maria Cazacu and Angelica Vlad	1951	New siloxane–arylidene sulfone segmented copolymers
A. S. Diab, A. A. Hathoot, M. Abdel-Azzem and A. Merz	1959	Preparation of a novel conducting polymer by electropolymerization of thiophenylidine 8-naphthylamine Schiff-base
M. Ghaemy and I. Gharaebi	1967	Study of dehydrochlorination of poly(vinyl chloride) in solution and the effect of synthesis conditions on graft copolymerization with styrene
Salah-Eddine Djilani, Tidjani Bouchami, Feriel Krid, Nassima Boudiaf et Djelloul Messadi	1981	Comparaison des simulations chimique et mathématique de la migration du DOP à partir de disques de PVC plastifié plongés dans des huiles comestibles
R. Vijayaraghavan, M. Surianarayanan, P. Gangadara Rao and K. V. Raghavan	1989	Mechanistic studies of hydroquinone-promoted charge-transfer polymerization of styrene and alkyl methacrylates
A. G. Shilabin and A. A. Entezami	2005	Electrochemical behaviour of conducting polyfuran derivatives containing pyrrole, thiophene and ethylenic spacers
K. S. Khairou and R. M. Hassan	2021	Pectate polyelectrolyte ionotropic gels—1. Kinetics and mechanisms of formation of manganate (VI) pectate intermediate complex during the oxidation of pectate polysaccharide by alkaline permanganate
Ahmad Banihashemi and Behzad Pourabbas	2031	New thermally stable polyamides derived from 2,9-diamino benzofuro[2,3-b]benzofuran, a new monomer
Guillermo Jimenez, Shigeo Asai, Atsushi Shishido and Masao Sumita	2039	Effect of the soft segment on the fatigue behavior of segmented polyurethanes
Short communications		
Hideo Sawada, Koji Ikeno and Tokuzo Kawase	2051	Synthesis of a novel fluoroalkylated end-capped oligomer-bound antitumor segments and interaction of this oligomer with DNA

Jianfei Liu, Haiyan Ma, Jiling Huang and Yanlong Qian 2055 Syndiotactic polymerization of styrene with $CpTiCl_2$ (OR) MAO system

Yeong-Soon Gal 2059 Polymerization of phenylacetylene by molybdocene dichlorideorganoaluminium compound catalyst system

I Announcement

Volume 36, Number 10

A. D. Drozdov 2063 Viscoelastoplasticity of amorphous glassy polymers

N. Torres, J. J. Robin and B. Boutevin 2075 Study of thermal and mechanical properties of virgin and recycled poly(ethylene terephthalate) before and after injection molding

M. M. Hanafi, S. M. Eltaib and M. B. Ahmad 2081 Physical and chemical characteristics of controlled release compound fertiliser

G. Sacarescu, L. Sacarescu, R. Ardeleanu, M. Marcu and N. Voiculescu 2089 Polysilaanthracene synthesis

Y. Chen, E. T. Kang, K. G. Neoh and K. L. Tan 2095 Covalent immobilization of invertase onto the surface-modified polyaniline from graft copolymerization with acrylic acid

M. R. Lutfor, S. Silong, W. Md Zin, M. Z. Ab Rahman, M. Ahmad and J. Haron 2105 Preparation and characterization of poly(amidoxime) chelating resin from polyacrylonitrile grafted sago starch

C. Iojoiu, M. J. M. Abadie, V. Harabagiu, M. Pinteala and B.C. Simionescu 2115 Synthesis and photocrosslinking of benzyl acrylate substituted polydimethylsiloxanes

S. Ghosh and N. Krishnamurti 2125 Use of glycidyl methacrylate monomers for developing cross-linkable pressure sensitive adhesives

M. L. Binet, S. Commereuc and V. Verney 2133 Thermo-oxidation of polyterpenes: influence of the physical state

E. Çatiker and A. Güner 2143 Unperturbed dimensions and the theta temperature of dextran in ethylene glycol solutions

P. Ghosh and D. Das 2147 Modification of jute by some low molecular weight glycols and a polyol under thermal treatment

S. Liu, W. Li, B. Liang and Y. Yu 2159 Chain structure and thermal behavior of reactive blends of poly(ethylene terephthalate)/poly(butylene terephthalate) by addition of 2,2′-(1,4-phenyl) bisoxazoline

K. Suchocka-Gałaś, C. Ślusarczyk and A. Włochowicz 2167 The state of ion aggregation in ionomers based on copolymers of styrene and acrylic acid—1. Small-angle X-ray scattering studies

K. Suchocka-Gałaś, C. Ślusarczyk and A. Włochowicz 2175 The state of ion aggregation in ionomers based on copolymers of styrene and acrylic acid—2. Small-angle X-ray scattering studies

J.-H. Chang and K. M. Park	2185	Thermal cyclization of the poly(amic acid): thermal, mechanical, and morphological properties
P.-D. Hong, C.-M. Chou and H.-T. Huang	2193	Phase separation behavior in polyvinyl alcohol/ethylene glycol/water ternary solutions
H.-Q. Xie, Y.-M. Ma and D.-S. Feng	2201	Preparation of organosoluble conductive polyaniline via precipitation polymerization and study of its conductivity
H. Yeganeh, M. Barikani and F.N. Khodabadi	2207	Synthesis and properties of novel thermoplastic poly(urethane-imide)s
H.-J. Tai and H.-L. Chou	2213	Chemical shrinkage and diffusion-controlled reaction of an epoxy molding compound
Y. He, N. Asakawa, T. Masuda, A. Cao, N. Yoshie and Y. Inoue	2221	The miscibility and biodegradability of poly(3-hydroxybutyrate) blends with poly(butylene succinate-co-butylene adipate) and poly(butylene succinate-co-ε-caprolactone)
Y. A. Aggour	2231	Study of binary copolymers of acryloyl chloride and 2-acrylamido-2-methylpropanesulfonic acid
I. G. Yáñez-Flores, R. Ibarra-Gómez, O. S. Rodríguez-Fernández and M. Gilbert	2235	Peroxide crosslinking of PVC foam formulations
X. Cao and L. Feng	2243	Polymerization of ethylene by the Zieglar–Natta catalyst systems – $TiCl_4/Al(C_2H_5)_3$ supported on carbon blacks
J. M^a. García-Martínez, A. G. Cofrades, O. Laguna, S. Areso and E. P. Collar	2253	Influence of reactant concentration and reaction time in the chemical modification process of polypropylene by *p*-phenylen-bis-maleamic acid in the melt
E. P. Collar, A.G. Cofrades, O. Laguna, S. Areso and J. M^a. García-Martínez	2265	Thermal and morphological studies on isotactic polypropylene containing *p*-phenylen-bis-maleamic acid grafted groups
P. G. Sanghvi, A. C. Patel, K. S. Gopalkrishnan and S. Devi	2275	Reactivity ratios and sequence distribution of styrene–acrylonitrile copolymers synthesized in microemulsion medium
S. D. Rostami	2285	Advances in theory of equilibrium melting point depression in miscible polymer blends
X. Liu, D. Chen, X. Yang, L. Lu and X. Wang	2291	Polymerization of bismaleimide and maleimide monomers catalyzed by nanometer sized Na^+/TiO_2
Short communications		
P. H. Wang and C.-Y. Pan	2297	Polymer metal composite microspheres. Preparation and characterization of poly(St-co-AN)Ni microspheres
X.-Z. Zhang and R.-X. Zhuo	2301	Preparation of fast responsive, thermally sensitive poly(*N*-isopropylacrylamide) gel

S.-H. Hwang and G.-S. Lee 2305 The curing and decomposition kinetics for diglycidylether of bisphenol-A/di(4-aminobenzanilide)-ether system

Z.-P. Fang, G.-W. Ma, B.-Q. Shentu, G.-P. Cai and C.-W. Xu 2309 Influence of viscosity ratio on the morphology of PVC/PE blends

Announcement

I Structure developments upon polymer processing: physical aspects

Volume 36, Number 11

J. Trlica, P. Sáha, O. Quadrat and J. Stejskal 2313 Electrical and electrorheological behavior of poly(aniline-*co*-1,4-phenylenediamine) suspensions

I. Sapurina, M. Mokeev, V. Lavrentev, V. Zgonnik, M. Trchová, D. Hlavatá and J. Stejskal 2321 Polyaniline complex with fullerene C_{60}

J. Meloun, I. Krakovský, J. Nedbal and M. Ilavský 2327 Effect of chemical clusters on photoelastic behaviour and small-angle X-ray scattering of epoxide networks based on poly(oxypropylene)diamines

J. R. MacCallum and S. Seth 2337 Conductivity of poly(ethylene oxide)/silica composite films containing lithium trifluorosulphonate

K. Subramanian, V. Krishnasamy, S. Nanjundan and A. V. Rami Reddy 2343 Photosensitive polymer: synthesis, characterization and properties of a polymer having pendant photocrosslinkable group

M. Strlič, J. Kolar, B. Pihlar, J. Rychlý and L. Matisová-Rychlá 2351 Chemiluminescence during thermal and thermo-oxidative degradation of cellulose

A. W. Trochimczuk and B. N. Kolarz 2359 Synthesis and chelating properties of resins with methylthiourea, guanylthiourea and dithiocarbamate groups

G. Helary, V. Migonney, J. Belleney and L. Heinrich 2365 Terpolymerization of 3-methacryloxypropyl tris(trimethylsiloxy)silane, methacrylic acid and dimethyl octyl ammonium styrene sulfonate: determination of the reactivity ratios

V. M. Kagathara, M. R. Sanariya and P. H. Parsania 2371 Sound velocity and molecular interaction studies on chloro epoxy resins solutions at 30°C

Sun Junquan, Pan Zhida, Zhong Yu, Hu Weiqiu and Yang Shilin 2375 Polymerization of methyl methacrylate by single component catalyst of lanthanocene chloride $O(C_2H_4C_5H_3CH_3)_2LnCl$ (Ln = Y, Nd, Sm)

G. Mocanu, L. Merle, A. Carpov et G. Muller 2381 Immobilisation de biomolécules dans des microparticules de carboxyméthylcelluloses "hydrophobiquement modifiées"

S. Ajithkumar, N. K. Patel and S. S. Kansara 2387 Sorption and diffusion of organic solvents through interpenetrating polymer networks (IPNs) based on polyurethane and unsaturated polyester

H. Tachi and M. Tsunooka	2395	Photo-initiated thermal cross-linking behavior of acetophenone O-acryloyloxime-methyl methacrylate copolymer films in the presence of quinones
H. Ismail and B. T. Poh	2403	Cure and tear properties of ENR 25/SMR L and ENR 50/SMR L blends
St. Oprea, S. Vlad and A. Stanciu	2409	Optimization of the synthesis of polyurethane acrylates with polyester compounds
Z. Li, Y. Zhao, J. Zhou and Y. Shen	2417	Synthesis and characterization of two series of polyimides as nonlinear optical materials
M. L. Coote and T. P. Davis	2423	Propagation rate coefficients for styrene solution polymerization in dimethyl formamide and acetonitrile
D. M. Park, W. H. Hong, S. G. Kim and H. J. Kim	2429	Heat generation of filled rubber vulcanizates and its relationship with vulcanizate network structures
V. Sekkar, K. N. Ninan, V. N. Krishnamurthy and S. R. Jain	2437	Thermal decomposition studies on copolyurethanes based on hydroxyl terminated polybutadiene and poly(12-hydroxy stearic acid-co-TMP) ester polyol
M. Alagar, A. Ashok Kumar, K. P. O. Mahesh and K. Dinakaran	2449	Studies on thermal and morphological characteristics of E-glass/Kevlar 49 reinforced siliconized epoxy composites
S. E. Mallakpour, A.-R. Hajipour and R. Roohipour-fard	2455	Direct polycondensation of *N*-trimellitylimido-L-leucine with aromatic diamines
H. B. Bohidar and M. Behboudnia	2463	Solubilization of gelatin by water–AOT–iso-octane reverse micelles studied by dynamic laser light scattering
Zhu Pingping and Ma Dezhu	2471	Study on the double cold crystallization peaks of poly(ethylene terephthalate)—3. The influence of the addition of calcium carbonate ($CaCO_3$)
A. C. Patel, R. B. Brahmbhatt, P. V. C. Rao, K. V. Rao and S. Devi	2477	Solid phase grafting of various monomers on hydroperoxidized polypropylene
N. Somanathan, M. D. Naresh, V. Arumugam and R. Sanjeevi	2485	Mechanism of failure of hydrolyzed casein films
R. N. Kumar, R. Nagarajan, F. C. Fun and P. L. Seng	2491	Effect of process variables on the exothermicity during the production of phenol–formaldehyde resins—modeling by response surface methodology
J. Ostrauskaitė, G. Buika, J. V. Gražulevičius and A. Stanišauskaitė	2499	Synthesis and cationic polymerization of 5-(2,3-epoxypropyl)amino-2-phenyl-1,2,3-benzotriazole
P. Ghosh and D. Das	2505	Modification of cotton by acrylic acid (AA) in the presence of NaH_2PO_4 and $K_2S_2O_8$ as catalysts under thermal treatment
L. Jiang, Z. Shen and Y. Zhang	2513	Polymerization of methyl methacrylate with a new rare-earth coordination catalyst
J. Gao, D. Li, D. Wang and L. Yang	2517	Rheological behavior and mechanical properties of blends of chlorinated polyethylene with poly(acrylonitrile–styrene–methyl methacrylate)

Short communications

H. Sawada, Y. Ariyoshi, K. Lee, J. Kyokane and T. Kawase 2523 A new approach to highly conductive polymer electrolytes: synthesis of gelling fluoroalkylated end-capped 2-acrylamido-2-methylpropanesulfonic acid copolymers containing poly(oxyethylene) units

H. Liang, W. Jiang and X. He 2527 Monte Carlo simulation of pulsed-laser polymerization in emulsion

Volume 36, Number 12

S. Navarre et B. Maillard 2531 Modification chimique du polyéthylène par décomposition homolytique de l'hydroperoxyde de 1,1-diméthyléthyle

G. Polacco, M. G. Cascone, L. Petarca and A. Peretti 2541 Thermal behaviour of poly(methacrylic acid)/poly(*N*-vinyl-2-pyrrolidone) complexes

H. B. Bohidar and S. Ghosh 2545 Evolution of non-ergodicity during gel transition studied through probe particle diffusion

A. Linares and J. L. Acosta 2551 Structural and electrical analysis of ion conducting composites

A. Tabtiang, S. Lumlong and R. A. Venables 2559 The influence of preparation method upon the structure and relaxation characteristics of poly(methyl methacrylate)/clay composites

R. Vijayaraghavan, M. Surianarayanan, P. Gangadara Rao and K. V. Raghavan 2569 Influence of molecular weight and tacticity on thermal stabilities of hydroquinone promoted CT polymerization of styrene and alkylmethacrylates

C. Guis and H. Cheradame 2581 Synthesis of polymers containing pseudohalide groups by cationic polymerization—15. Study of the functionalizing living cationic polymerization of 2-methyl-2-oxazoline in the presence of trimethylsilylazide

S. Tkaczyk, I. V. Kityk, S. Benet, K. J. Plucinski and M. Makowska-Janusik 2591 Non-linear optical diagnostics of phase transitions in 1,4-*cis*-polybutadiene polymers

M. Tang and W.-R. Liau 2597 Solvent effect on the miscibility of poly(4-hydroxystyrene)–poly(ethylene oxide) blends

Y. Itoh and M. Inoue 2605 Alternating copolymers containing an aromatic chromophore in every monomer unit—3. Intramolecular excimer formation and energy transfer in poly(1-naphthylmethyl methacrylate-alt-2-vinylnaphthalene)

L. Shi 2611 Characterization of the flame retardancy of EVA copolymer by plasma grafting of acrylic acid

S. Rajendran, T. Uma and T. Mahalingam 2617 Conductivity studies on PVC–PMMA–$LiAsF_6$–DBP polymer blend electrolyte

S. K. Park, S. Y. Park and C. J. Lee 2621 Analysis of chemical structure of fluoro-containing copolyamic acid methyl esters and its effect on the thermal imidization process

P. Sharma, P. Tandon and V. D. Gupta 2629 Vibrational dynamics of syndiotactic poly-(1-butene)

D. Chen, H. Wang, L. Lu and X. Wang 2639 A new approach to the determination of Mark–Houwink parameters

K. Karayanni and G. Staikos 2645 Study of the lower critical solution temperature behaviour of poly(vinyl methyl ether) aqueous solutions in the presence of poly(acrylic acid). The role of interpolymer hydrogen bonding interaction

N. Uyanik and C. Erbil 2651 Monomer reactivity ratios of itaconic acid and acrylamide copolymers determined by using potentiometric titration method

S. Warwel, B. Wiege, E. Fehling and M. Kunz 2655 Ring-opening polymerization of oleochemical epoxides catalyzed by aluminoxane/acetyl acetone

C.-F. Ou, M.-S. Chao and S.-L. Huang 2665 The crystallization behaviors of poly(butylene terephthalate) blended with co[poly(butylene terephthalate-*p*-oxybenzoate)] copolyesters

S. Dai, K. C. Tam and R. D. Jenkins 2671 Aggregation behavior of methacrylic acid/ethyl acrylate copolymer in dilute solutions

G. Nemtoi, A. Onu, N. Aelenei, S. Dragan and C. Beldie 2679 Thermal effects of some polymerisation and polycondensation reactions, polymeric ammonium quaternary salts

E. Jabbari and S. Nozari 2685 Swelling behavior of acrylic acid hydrogels prepared by γ-radiation crosslinking of polyacrylic acid in aqueous solution

H.-J. Jin, B.-Y. Lee, M.-N. Kim and J.-S. Yoon 2693 Properties and biodegradation of poly(ethylene adipate) and poly(butylene succinate) containing styrene glycol units

L. Ge, Q. Huang, Y. Zhang and Z. Shen 2699 Ring-opening polymerization of styrene oxide with rare earth coordination catalysts

J. Guan, C. Gao, L. Feng and J. Shen 2707 Preparation of functional poly(ether–urethane) for immobilization of human living cells—1. Surface graft polymerization of poly(ether–urethane) with 2-(dimethylamino)ethyl methacrylate and quarternization of grafted membrane

J.-M. Santarella, E. Rousset, S. Randriamahefa, A. Macedo and H. Cheradame 2715 Cationic polymerization of dienes—III. Polymerization of 1,3-pentadiene initiated by ferric chloride in hexane

C.-Y. Huang and C.-C. Wu 2729 The EMI shielding effectiveness of PC/ABS/nickel-coated-carbon-fibre composites

Short communication

X. Deng, J. Yao and M. Yuan 2739 Polymerization of lactides and lactones—11. Ring-opening polymerization of α-acetyl-γ-butyrolactone and copolymerization with β-butyrolactone